

MOLETADIKGWA: COMMON TREES AND SHRUBS

- 29.5 *Aloe marlothii* - Flat Flowered Aloe; Mountain Aloe; Bergaalwyn
 39 *Celtis africana* - White Stinkwood; Witstinkhout
 48 *Ficus thonningii* - Common Wild Fig; Gewone Wildevy
 55 *Ficus ingens* - Red-leaved Fig; Rooiblaarrotsvy
 60 *Ficus salicifolia*(=*cordata*) - Wonderboom Fig; Wonderboom-vy
 70 *Obetia tenax* - Mountain Nettle; Bergbrandnetel
 75 *Faurea saligna* - Transvaal Beech; Boekenhout
 87 *Protea caffra* - Highveld Protea; Common Sugarbush; Gewone Suikerbos
 98.2 *Protea welwitschii* - Honey-Scented Protea; Troshofiesuikerbos
 103 *Ximenia caffra* - Sourplum; Suurpruim
 106 *Hexalobus monopetalus* - Shakama plum; Shakamapruim
 122 *Bosca albitrunca* var. *macrophalla* - Large-leave Shepherd's Tree; Grootblaarwitgat
 133 *Maerua cafra* - Common Bush-cherry; Gewone witbos
 157 *Albizia tanganyiensis* - Paperbark Albizia; Papierbasvalsdoring
 160 *Acacia ataxacantha* - Flame Thorn; Vlamdoring
 162 *Acacia caffra* - Common Hook-Thorn; Gewone Haakdoring
 172 *Acacia karroo* - Sweet-Thorn; Soetdoring
 179 *Acacia nilotica* - Scented thorn; Lekrruikpeul
 183 *Acacia robusta* -Ankle Thorn; Brack Thorn; Enkeldoring; Brakdoring
 190 *Dichrostachys cinerea* - Sickle Bush; Sekelbos
 193 *Elephantorrhiza burkei* - Sumach Bean; Breëpeulbasboontjie
 197 *Burkea africana* - Red Syringa; Wild Seringa; Rooisering
 202 *Schotia brachypetala* - Weeping Boer-bean; Huilboerboon
 215 *Peltophorum africanum* - Weeping Wattle; African-wattle; Huilboom
 226 *Mundulea sericea* - Silver Bush; Cork-bush; Kurkbos
 237 *Pterocarpus rotundifolius* - Round-leaved Bloodwood; Dopperkiaan
 253 *Zanthoxylum capense* - Small Knobwood; Kleinperdepram
 269 *Kirkia wilmsii* - Mountain syringa; Wild Pepper Tree; Bergsering
 278 *Commiphora marlothii* - Paperbark Corkwood; Papierbaskanniedood
 303 *Securidaca longipedunculata* - Violet tree; Krinkhout
 308 *Pseudolachnostylis maprouneifolia* - Kudu-Berry; Koedoebessie
 328 *Croton gratissimus* - Lavender Croton; Laventelkoorsbessie
 346 *Euphorbia cooperii* - Lesser Candelabra Tree; Noorsdoring
 362 *Lannea discolor* - Live-Long Tree; Dikbas
 375 *Ozoroa paniculosa* - Common Resin Tree; Bosveldharpuisboom
 387 *Rhus leptodictya* - Mountain Karee; Bergkaree
 396.1 *Rhus zeyheri* - Blue Currant; Bloutaaibos
 398 *Maytenus acuminata* - Silky Bark; Sybas
 --- *Maytenus albata* - Grey Koko Tree; Gryskokaboom
 399 *Gymnosporia buxifolia* - Common Spike-thorn; Gewone Pendoring
 416 *Elaeodendron transvaalense* - Bushveld Saffron; Bosveldsaffraan
 420 *Cassinopsis ilicifolia* - Lemonthorn; Lemoentjiedoring
 422 *Apodytes dimidiata* - White Pear; Witpeer
 433 *Pappea capensis* - Jacket Plum; Doppruim
 447 *Ziziphus mucronata* - Buffalo-thorn; Blinkblaarwag-'n-bietjie
 455 *Heteropyxis natalensis* - Weeping Lavender Tree; Laventelboom
 456.3 *Rhoicissus revoilii* - Bitter Forest Grape; Bitterbosdruif
 456.6 *Rhoicissus tridentata* - Bushman's Grape; Boesmansdruif

- 458 *Grewia bicolor* - White Raisin; Witrosyntjie
- 459.1 *Grewia flava* – Velvet raisin; fluweelrosyntjie
- 459.2 *Grewia flavescens* – Soft-leaved Sandpaper Raisin; Sagteblaarskurwerosyntjie
- 462 *Grewia monticola* – Silver/Grey Raisin; Vaalrosyntjie
- 463 *Grewia occidentalis* – Cross-berry; Kruisbessie
- 471 *Dombeya rotundifolia* - Wild Pear; Drolpeer
- 479.1 *Ochna serrulata* – Small-leaved plane; Fynblaarrooihout
- 483 *Ochna pulchra* – Peeling Plane; Lekkerbreek
- 532 *Combretum apiculatum* - Red Bushwillow; Rooiboswilg
- 537 *Combretum molle* - Velvet Bushwillow; Fluweelboswilg
- 538 *Combretum hereroense* - Russet Bushwillow; Kierieklapper
- 540.2 *Combretum nelsonii* - Waterberg Bushwillow; Waterbergboswilg
- 541 *Combretum collinum* - Variable Bushwillow; Variërende Boswilg
- 546 *Combretum zeyheri* – Large-fruited Bushwillow; Raasblaar
- 548 *Terminalia brachystemma* – Green cluster-leaf; Groenvaalboom
- 551 *Terminalia sericea* - Silver Clusterleaf; Vaalboom
- 563 *Cussonia paniculata* - Mountain Cabbage Tree; Bergkiepersol
- 577.1 *Myrsine africana* - Cape Myrtle; Mirting
- 581 *Englerophytum (Bequaertiodendron) magalismsontanum* - Stamvrug
- 585 *Mimusops zeyheri* - Transvaal Red Milkwood; Moepel
- 594 *Euclea crispa* - Blue Guarri; Blougwarrie
- 605 *Diospyros lycioides* - Monkey Plum; Bloubos
- 611 *Diospyros whyteana* - Bladdernut; Swartbas
- 612 *Schrebera alata* – Wild Jasmine; Wildejasmyn
- 617 *Olea africana* - Wild Olive; Olienhout
- 623 *Strychnos cocculoides* – Corky Monkey-orange; Kurkbasklapper
- 624 *Strychnos decussata* – Cape teak; Kaapse kiaat
- 628 *Strychnos pungens* - Spine-leaved Monkey Orange; Stekelblaarklapper
- 631 *Strychnos usambarensis* - Blue Bitterberry; Bloubitterbessie
- 633 *Nuxia congesta* - Common Wild Elder; Gewone wildevlier
- 640.2 *Carissa bispinosa* – Common Num Num; Gewone Noemnoem
- 643 *Diplorhynchus condylocarpon* - Horn-pod Tree; Horingpeultjie
- 664 *Vitex rehmannii* – Pipe-Stem Fingerleaf Tree; Pypsteelvingerblaar
- *Vitex pooara* - Waterberg Pooara-berry; Waterberg-poerabessie
- 667 *Clerodendrum glabrum* – Tinderwood; Tontelhout
- 691 *Gardenia volkensii* – Transvaal Gardenia; Kannotjieboom
- 693 *Rothmannia capensis* - Cape Gardenia; Kaapse katjiepiering
- 699 *Tricalysia lanceolata* - Jackal-coffee; Jakkalskoffie
- 702.1 *Vangueria cyanescens* - Bush Medlar; Bosmispel
- 703 *Vangueria parvifolia* (= *Tapiphyllum parvifolium*) - Mountain Medlar; Berg Mispel
- ?705.1 *Pachystigma triflorum* - Waterberg Medlar
- 717.1 *Pavetta eylesii* - Large-leaved Bride's Bush; Grootblaarbruidsbos
- 722 *Pavetta zeyheri* - Small-leaved Bride's Bush; Fynblaarbruidsbos
- 727 *Brachylaena huillensis* – Lowveld Silver Oak; Laeveld Vaalbos
- 730 *Brachylaena rotundata* - Mountain Silver-oak; Bergvaalbos

as at 20 December, 2003

MOLETADIKGWA: COMMON TREES

- 29.5 *Aloe marlothii* - Flat Flowered Aloe; Mountain Aloe; Bergaalwyn
Ash from the dried leaves is mixed with tobacco snuff. The leaves and sap are used medicinally
- 39 *Celtis africana* - White Stinkwood; Witstinkhout
- 48 *Ficus thonningii* - Common Wild Fig; Gewone wildevy
Fibres from bark used in mat- making
- 60 *Ficus salicifolia* - Wonderboom Fig
Leaves are toxic
- 70 *Obetia tenax* - Mountain Nettle; Bergbrandnetel
Bark yields a strong fibre; leaves are cooked as a green vegetable
- 75 *Faurea saligna* - Boekenhout
Excellent timber for furniture; bark used for tanning leather
- 87 *Protea caffra* - Highveld Protea
Bark is used medicinally
- 98.2 *Protea welwitschii* - Honey-Scented Protea; Cluster-head Sugarbush;
Troshofiesuikerbos
- 157 *Albizia tanganyicensis* - Paperbark Albizia or False-thorn; Papierbasvalsoring
Young pods are toxic
- 160 *Acacia ataxacantha* - Flame Acacia
- 162 *Acacia caffra* - Common Hook-Thorn; Gewone Haakdoring
Leaves and pods browsed by stock; various parts used medicinally
- 172 *Acacia karroo* - Sweet-Thorn; Soetdoring
Tree browsed by game; bark used for tanning; yields strong rope, edible gum and seeds used as coffee substitute. Root used as medicine
- 183 *Acacia robusta* -Ankle Thorn; Brack Thorn; Enkeldoring; Brakdoring
- 190 *Dichrostachys cinerea* - Sickie Bush
Stock and game eat pods; bark yields fibre; wood for fence poles and firewood. Medicine from various parts of the tree.
- 193 *Elephantorrhiza burkei* - Sumach Bean; Basboontjie
Roots are used medicinally; used for tanning leather
- 197 *Burkea africana* - Wild Syringa; Wildesering
Dried and crushed bark used as fish poison; bark and root for tanning and for medicine. Red

dye from root

202 *Schotia brachypetala* - Weeping Boerboon; Huilboerboon
Leaves browsed by game; bark used medicinally and for tanning

215 *Peltophorum africanum* - Weeping Wattle; Huilboom
Browsed by game; wood for carving; bark and root for medicines.

226 *Mundulea sericea* - Silver Bush; Cork Bush; Kurkbos
Bark contains rotenone and is used as a fish poison; leaves browsed by game and stock; leaves, bark and roots used medicinally.

237 *Pterocarpus rotundifolius* - Round-leaved Teak; Dopperkiaat

269 *Kirkia wilmsii* - Mountain Seringa; Bergsering
Bark yields strong fibre.

278 *Commiphora marlothii* - Paperbark Corkwood; Papierbaskanniedood
Fruit pulp edible and made into jam or jelly; root chewed for sweet juice.

308 *Pseudolachnostylis maprouneifolia* - Kudu-Berry; Koedoebessie
Leaves and fruit eaten by antelope and elephant; bark, root and leaves used medicinally

328 *Croton gratissimus* - Lavender Croton; Lavender Fever-berry; Laventelkoorsbessie
Plant browsed by game and stock; leaves aromatic and used as perfume by San; leaves and bark used medicinally

346 *Euphorbia cooperii* - Lesser or "Transvaal" Candelabra Tree; Transvaalse
Kandelaarnaboom
Toxic latex used as fish poison

362 *Lannea discolor* - Live-Long Tree; Dikbas
Fruit is edible; bark used medicinally, for tanning, for twine and as a source of red dye. Roots are split and used in basket making.

375 *Ozoroa paniculosa* - Common Resin Tree; Gewone Harpuisboom
Fruit used for dyeing leather; browsed by elephant and rhino.

387 *Rhus leptodictya* - Mountain Karee; Bergkaree
Beer brewed from the fruit; various parts used for medicine.

420 *Cassinopsis ilicifolia* - Lemon Thorn; Lemoentjiedoring
Fruit eaten by birds.

422 *Apodytes dimidiata* - White Pear; Witpeer
Wood and leaves used medicinally; wood once used for making wagons

433 *Pappea capensis* - Jacket Plum; Doppruim
Fruit browsed by game and stock; used for jam. Seeds yield oil which is edible and is used medicinally and for soap-making. Bark used medicinally.

- 447 *Ziziphus mucronata* - Wag 'n Bietjie
- 455 *Heteropyxis natalensis* - Lavender Tree
- 456.3 *Rhoicissus revoilii* - Bitter Forest Grape; Bitterbosdruif
- 456.6 *Rhoicissus tridentata* - Bushman's Grape; Boesmansdruif
- 471 *Dombeya rotundifolia* - Wild Pear
- 483 *Ochna pulchra* - Lekkerbreek
- 532 *Combretum apiculatum* - Red Bushwillow
- 537 *Combretum molle* - Velvet Bushwillow
- 546 *Combretum zeyheri* - Largefruited Bushwillow
- 551 *Terminalia sericea* - Silver Clusterleaf; Vaalbos
- 563 *Cussonia paniculata* - Mountain Cabbage Tree
- 581 *Englerophytum (Bequaertiodendron) magalismontanum* - Stamvrug
- 585 *Mimusops zeyheri* - Transvaal Red Milkwood; Moepel
- 594 *Euclea crispa* - Blue Guarri
- 605 *Diospyros lycioides* - Monkey Plum; Bloubos
- 611 *Diospyros whyteana* - Bladder-nut; Swartbas
- 617 *Olea africana* - Wild Olive
- 628 *Strychnos pungens* - Spine-leaved Monkey Orange
- 631 *Strychnos usambarensis* - Blue Bitterberry; Bloubitterbessie
- 633 *Nuxia congesta* - Common Wild Elder; Gewone wildevlier
- 640.2 *Carissa bispinosa* - Num Num
- 643 *Diplorhynchus condylocarpon* - Horn-pod Tree
- 664 *Vitex rehmannii* - Pipe Stem Tree
- Vitex pooara* - Waterberg Pooara-berry; Waterberg-poerabessie
- 691 *Gardenia spatulifolia* - "Transvaal" Gardenia
- 722 *Pavetta zeyheri* - Small-leaved Bride's Bush
- 730 *Brachylaena rotundata* - Mountain Silver Oak